

SAFETY DATA SHEET DESTAIN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name DESTAIN
Product number C001 EV
Internal identification Janitorial

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Tannin remover

1.3. Details of the supplier of the safety data sheet

Supplier

Evans Vanodine International

Brierley Road Walton Summit

Preston. UK. PR5 8AH Tel: 01772 322 200 Fax: 01772 626 000

qclab@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available

24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm -

01772 318 818 - Mon to Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

Environmental hazards Aquatic Chronic 2 - H411

2.2. Label elements

Pictogram







Signal word Danger

Hazard statements H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

DESTAIN

Precautionary statements P102 Keep out of reach of children.

P260 Do not breathe dust.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label information

EUH031 Contact with acids liberates toxic gas.

Contains DISODIUM METASILICATE, TROCLOSENE SODIUM, DIHYDRATE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM CARBONATE 30-60%

CAS number: 497-19-8 EC number: 207-838-8

ClassificationEye Irrit. 2 - H319

PENTASODIUM TRIPHOSPHATE 5-10%

CAS number: 7758-29-4 EC number: 231-838-7

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

DISODIUM METASILICATE 5-10%

CAS number: 6834-92-0 EC number: 229-912-9

Classification

Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335

DESTAIN

TROCLOSENE SODIUM, DIHYDRATE

3-5%

Classification

Acute Tox. 4 - H302 Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

SODIUM SILICATE 1-3%

CAS number: -

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.

Skin contact Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Irritation of nose, throat and airway.

Ingestion May cause chemical burns in mouth and throat.

Skin contact Burning pain and severe corrosive skin damage. May cause serious chemical burns to the

skin.

Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue

damage.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

DESTAIN

Specific hazardsThermal decomposition or combustion products may include the following substances:

Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see

Section 8.

6.2. Environmental precautions

Environmental precautions Toxic to aquatic life with long lasting effects. Spillages or uncontrolled discharges into

watercourses must be reported immediately to the Environmental Agency or other appropriate

regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Collect powder

using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste

disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection. Avoid inhalation of dust. Never add

water directly to this product as it may cause a vigorous reaction or boiling. Always dilute by

carefully pouring the product into water. DO NOT mix with other chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM CARBONATE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment





DESTAIN

Appropriate engineering

controls

Use mechanical ventilation if there is a risk of handling causing formation of airborne dust.

Eye/face protection The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Wear protective gloves. (Household rubber gloves.)

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Powder.

Colour White.

Odour Faint Chlorine.

pH pH (diluted solution): 10.5 - 11.5 @ 1%

Melting point Not applicable.

Initial boiling point and range Not applicable.

Flash point Boils without flashing.

Relative density Not applicable.

Soluble in water.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Reacts violently with strong acids. The product will harden into a solid mass in contact with

water and moisture.

10.2. Chemical stability

Stability No particular stability concerns.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. The product will harden into a solid

mass in contact with water and moisture.

10.5. Incompatible materials

Materials to avoid Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

Hazardous decomposition

Toxic chlorine gas can be released if heated.

products

SECTION 11: Toxicological information

DESTAIN

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Other health effects Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 14,700.01470001

SECTION 12: Ecological Information

Ecotoxicity Toxic to aquatic life with long lasting effects. Another potential hazard is from the alkalinity of

the product.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data

specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability Rapidly degrades to Sodium Chloride by chemical reaction with organic matter in effluent.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methodsDischarge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product

may be flushed with water to sewer. Larger volumes must be sent for disposal as special

waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3262

UN No. (IMDG) 3262

UN No. (ICAO) 3262

14.2. UN proper shipping name

Proper shipping name

CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate ans troclosene

(ADR/RID) sodium, dihydrate)

DESTAIN

Proper shipping name (IMDG) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate ans troclosene

sodium, dihydrate)

Proper shipping name (ICAO) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate ans troclosene

sodium, dihydrate)

14.3. Transport hazard class(es)

ADR/RID class Class 8: Corrosive substances.

ADR/RID label 8

IMDG class

Class 8: Corrosive substances.

ICAO class/division

Class 8: Corrosive substances.

Transport labels



14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-A, S-B

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. for a packaged product.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No

2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006).

The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification,

labelling & packaging of substances & mixtures.

Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008

classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

DESTAIN

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

IMDG: International Maritime Dangerous Goods.

ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

GHS: Globally Harmonized System.

Classification abbreviations and acronyms

Acute Tox. = Acute toxicity

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Eye Dam. = Serious eye damage

Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation

STOT SE = Specific target organ toxicity-single exposure

Key literature references and

sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory

database.

Classification procedures according to Regulation (EC) 1272/2008

Calculation Method.

Revision comments

Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No

2015/830 amendment. (Changes to Sections 2,3,15&16)

Revision date 01/08/2017

Revision 8

SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials

(Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard

Statements relating to this Product see Section 2.

Hazard statements in full

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.