

#### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

## PHS Thick Bleach

Revision: 2

Revision date: 30/10/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SH-BPF-358 1.1 Product identifier Product name PHS Thick Bleach

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3 Details of the supplier of the safety data sheet

Company Personnel Hygiene Services Ltd

Address Block B, Western Industrial Estate, Caerphilly

> CF83 1XH United Kingdom www.phsdirect.co.uk 02920 809098

Email: Info@ionicproductsItd.com

1.4 Emergency telephone number

028 9267 331. In the event of a medical enquiry involving this product, please contact your GP or local A&E dept. **Emergency telephone** 

Ireland: National Poisons Centre, Beaumont Hospital, Dublin 9 Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals)

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

2.1.2 Classification - EC 1272/2008

EUH206; H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

2.2 Label elements

Web

Telephone

number

Hazard pictograms





Signal Word **Hazard Statement** 

Danger

EUH206: Warning! Do not use together with other products. May release dangerous gases (chlorine).

H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Eye Dam. 1: H318 -Causes serious eye damage. Aguatic Acute 1: H400 - Very toxic to aguatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

**Precautionary Statement:** 

P234 -Keep only in original container. Prevention

P273 -Avoid release to the environment.

P280 -Wear protective gloves and eye/face protection.

Precautionary Statement:

Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.

P363 - Wash contaminated clothing before reuse. P391 - Collect spillage.

**Precautionary** Statement Storage

P405 - Store locked up.

PHS Thick Bleach Revision: 2 Page: 1/6

Print date: 30/10/2023

Precautionary Statement:

Disposal

P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### **Further information**

Contains:. Sodium hydroxide. &. sodium hypochlorite

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### EC 1272/2008

Chemical name	Index No.	CAS No.	EC No.	REACH registration Number	Conc (%w/w)	Classification
Sodium hypochlorite, solution	017-011-00-1	7681-52-9	231-668-3	01-2119488154-34	1-10%	EUH031; Skin Corr. 1B: H314; Aquatic Acute 1: H400;
Alcohols, C12-14, ethoxylated, sulphates, sodium salts		68891-38-3		01-2219488639-16	1-10%	Eye Irrit. 2: H319;
Amines, C12-14 (even numbered) - alkyldimethyl, N-oxides			931-292-6	01-2119490061-47	0.5-1%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400;
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0.5-1%	Skin Corr. 1A: H314;

Active substance(s). Sodium hypochlorite. 4.4g/100g.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Wash with water. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
- C	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, Severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Use as appropriate: Carbon dioxide (CO2), Dry chemical, Foam.

## 5.2 Special hazards arising from the substance or mixture

Corrosive. Burning produces irritating, toxic and obnoxious fumes.

## 5.3 Advice for firefighters

Wear suitable respiratory equipment when necessary.

### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Wear suitable protective equipment.

### 6.2 Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

### 6.3 Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

## 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best manual handling considerations when handling, carrying and dispensing.

PHS Thick Bleach Revision: 2 Page: 2/6

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original containers. There is a small chance that the liquid may gas-off causing the bottles to swell. In this event loosen the lids to release any build up of pressure and contact the supplier. For incompatibilities refer to section 10.4.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 8.1.1 Exposure Limit Values - UK

	WEL 8-hr limit ppm -	WEL 8-hr limit mg/m3 -	
	WEL 15 min limit ppm -	WEL 15 min limit mg/m3: 2	
Sodium hydroxide	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:	
	WEL 8-hr limit mg/m3 total respirable dust	WEL 15 min limit mg/m3 total respirable dust:	

### 8.1.1 Occupational Exposure Limits Values (OELVs) - Ireland

	Occupational Exposure Limit Value (8-hour reference period)	-
	Occupational Exposure Limit Value (15- minute reference period)	2 mg/m3

## DNEL: Derived no-effect level.

Exposure	Pattern -	Workers
----------	-----------	---------

Exposure Pattern - Work	ers		
	Acute inhalation - Systemic effects	3.1 mg/m³	
	Acute inhalation - Local effects	3.1 mg/m³	
Sodium hypochlorite,	Long-term - dermal - Systemic effects	1.55 mg/m³	
solution	Long-term - inhalation - Local effects	1.55 mg/m³	
	Long-term - dermal - Local effects	0.55 mg/m³	
	Acute dermal - Local effects	2 mg/m³	
	Long-term - inhalation - Local effects	1 mg/m³	
Sodium hydroxide			
Souldin Hydroxide			

## **Exposure Pattern - General population**

	•	0.4
	Acute inhalation - Systemic effects	3.1 mg/m³
	Acute inhalation - Local effects	3.1 mg/m³
Sodium hypochlorite,	Long-term - dermal - Systemic effects	1.55 mg/m³
solution	Long-term - oral - Systemic effects	0.25 mg/m³
	Long-term - inhalation - Local effects	1.55 mg/m³
	Long-term - dermal - Local effects	0.55 mg/m³
	Acute dermal - Local effects	2 mg/m³
	Long-term - inhalation - Local effects	1 mg/m³
Sodium hydroxide		
,		

## 8.2 Exposure controls

8.2 Exposure controls		
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated	
	clothing. Avoid contact with skin and eyes. Wash hands after handling the product.	
8.2.1 Appropriate	Ensure adequate ventilation of the working area.	
engineering controls		
8.2.2 Individual protection	Wear chemical protective clothing.	
measures		
Eye / face protection	Safety glasses. (EN166)	
Skin protection -	Chemical resistant gloves (PVC). (EN 374)	
Hand protection		
Respiratory protection	Not normally required. Do not breathe gas/fumes/vapour/spray.	

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

PHS Thick Bleach Revision: 2 Page: 3/6

Print date: 30/10/2023

**Appearance** Liquid Colour Yellow **Odour** Chlorine **pH** >12.0 Melting point Not determined Freezing Point Not determined Initial boiling point Not determined Flash point Not determined Evaporation rate Not determined Flammability (solid, gas) Not applicable to liquids Fat Solubility Not determined Partition coefficient Not determined Autoignition temperature Not determined Viscosity 300 cp @20°C Explosive properties Not explosive Oxidising properties Not oxidising Solubility Soluble in water Vapour pressure Not determined

#### 9.2 Other information

Conductivity Not determined Surface tension Not determined Specific gravity 1.07 g/cm³

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Acids. Amines

#### 10.4 Conditions to avoid

Heat. Avoid contact with: Acids.

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Skin corrosion/irritation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Causes burns.

No mutagenic effects reported.
No carcinogenic effects reported.
No observed effect level.

## 11.1.4 Toxicological Information

TITLE TOXIOOTOGICAL IIIIOTIII			
	Inhalation Rat LC50/15min: >10.5mg/l	Dermal Rat LD50: NDA	
Sodium hypochlorite, solution	Oral Rat LD50: NDA	Oral Mouse LD50 2900 - 3400 mg/l	
	Dermal Rabbit LD50: >2000 mg/l	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: >2000 mg/kg	
Alcohols, C12-14, ethoxylated, sulphates, sodium salts	Oral Rat LD50: 4100 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	
	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides	Oral Rat LD50: 1064 mg/kg	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	
Sodium hydroxide	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA	
	Oral Rat LD50: NDA	Oral Mouse LD50 NDA	
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA	

Print date: 30/10/2023

PHS Thick Bleach Revision: 2

SECTION 12: Ecological information					
12.1 Toxicity	12.1 Toxicity				
	Fish LC50/96h:	0.62 mg/l			
Sodium hypochlorite, solution	Green Algae EC50/24h:	28 mg/l			
	Daphnia LC50/96h:	2.1 mg/l			
Alashala C40.44	Daphnia EC50/48h:	7.2 mg/l			
Alcohols, C12-14, ethoxylated, sulphates, sodium salts	Green algae EC50/96h	7.5mg/l			
	Fish LC50/96h:	7.1 mg/l			
Aminos C42 44 (syss	Daphnia EC50/48h:	3.1000 mg/l			
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides	Fish LC50/96h:	2.6700 mg/l			
N OXIGES	Algae EC50/72h:	0.1430 mg/l			
	Fish LC50/96h:	125 mg/l			
Sodium hydroxide	Daphnia LC50/24h:	76 mg/l			
	Green Algae EC50/48h:	22mg/l (15min)			

### 12.2 Persistence and degradability

No data is available on this product.

#### 12.3 Bioaccumulative potential

No data is available on this product.

## Partition coefficient

No data is available on this product.

# 12.4 Mobility in soil

No data is available on this product.

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Other adverse effects

No other adverse effects known.

# **SECTION 13: Disposal considerations**

### **General information**

Dispose of in compliance with all local and national regulations.

## Disposal of packaging

Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.

## **Further information**

European Waste Catalogue: 20 01 15 alkalines.

## **SECTION 14: Transport information**

## **Hazard pictograms**





#### 14.1 UN number

UN1719

## 14.2 UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. ((SODIUM HYDROXIDE, HYPOCHLORITE))

## 14.3 Transport hazard class(es)

ADR/RID

PHS Thick Bleach Revision: 2 Page: 5/6

Subsidiary risk	]-	
IMDG	8	
Subsidiary risk	-	
IATA	8	
Subsidiary risk	-	
14.4 Packing group		
Packing group	III	
14.5 Environmental hazards		

Environmental hazards	Yes
Marine pollutant	Yes

ADR/RID

Hazard	ID	80
Tunnel	Category	Е

**IMDG** 

FmS	Code	F-A-S-B

**IATA** 

Packing Instruction	856
(Cargo)	
Maximum quantity	60L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation(EC)No.1907/2006 REACH
- Regulation(EC)No1272/2008 CLP
- Regulation(EC)No.648/2004 Detergents regulation

Ingredients according to EC Detergents Regulation 648/2004

Less than 5%: Anionic Surfactants, Chlorine based bleaching agents, Non ionic surfactants

Other ingredients: Perfume

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture.

## **SECTION 16: Other information**

#### Other information

Revision	This document differs from the previous version in the following areas:

Acronyms

Changes to sections: 7 LC: Lethal concentration.

LD: Lethal dose.

NDA - No data available.

NOAEC: No observed adverse effect concentration.

NOAEL: No observed adverse effect level. NOEC: No observed effect concentration.

NOFL: No observed effect level

PBT: Persistent, bioaccumulative and toxic. SVHC. Substance of very high concern.

vPvB. Very persistent and very bioaccumulative.

\*R01 - Polymer REACH number not available.

EUH031 - Contact with acids liberates toxic gas.

Text of Hazard Statements in Section 3

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Internal ref: F000107

Print date: 30/10/2023

PHS Thick Bleach Revision: 2