

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 28/02/2020 Version: 1.0

SECTION 1: Identification of the s	substance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Mixture
Product name	: 70% / 30% ISOPROPANOL (I.P.A.) WIPES
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
1.2.1. Relevant identified uses	
Use of the substance/mixture	: Cleaning wipe.
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the safe	ety data sheet
Allied Hygiene Systems Limited Unit 5	
Centurion Way, Erith	
DA18 4AF London - United Kingdom	66
T +44(0)20 8310 4000 - F +44(0)20 8311 55 admin@alliedhygiene.com	00
1.4. Emergency telephone number	
Emergency number	: +44(0)20 8310 4000
SECTION 2: Hazards identificatio	n
2.1. Classification of the substance of	
Classification according to Regulation (E	C) No. 1272/2008 [CLP]
Flammable solids, Category 1	H228
Serious eye damage/eye irritation, Category	2 H319
Specific target organ toxicity — Single expos	sure, Category 3, Narcosis H336
Full text of H statements : see section 16	
Adverse physicochemical, human health	and environmental effects
Flammable solid. Causes serious eye irritatio	
2.2. Label elements	
Labelling according to Regulation (EC) No	0 1272/2008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Hazardous ingredients	: PROPAN-2-OL
Hazard statements (CLP)	: H228 - Flammable solid. H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
- 、 /	No smoking.
	P261 - Avoid breathing fume. P264 - Wash hands thoroughly after handling.
	P204 - Wash hands thoroughly alter handling. P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear protective gloves.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
2.3. Other hazards	
No additional information available	

No additional information available

SECTION 3: Composition/information on ingredients 3.1. Substances

Not applicable

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PROPAN-2-OL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	70 - 80	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Get medical advice/attention if you feel unwell. If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: Move to fresh air in case of accidental inhalation of vapours and keep comfortable for breathing.
First-aid measures after skin contact	: Take off contaminated clothing. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Not expected to present a significant eye contact hazard under anticipated conditions of normal use. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: As the substrate is a wipe material ingestion is highly unlikely but in the event do not induce vomiting and wash mouth out with water. Get medical advice/attention.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/effects after inhalation	: May cause drowsiness or dizziness. There may be irritation of the throat with a feeling of tightness in the chest and cough.
Symptoms/effects after skin contact	: May cause slight irritation to the skin.
Symptoms/effects after eye contact	: Eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting.
4.3 Indication of any immediate medical att	ention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical, CO2, dry sand, or alcohol-resistant foam. Use extinguishing media appropriate for surrounding fire.
5.2. Special hazards arising from the substa	nce or mixture
Fire hazard	: Flammable solid.
Explosion hazard	: Product is not explosive.
Reactivity in case of fire	: None known.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Precautionary measures fire	: Evacuate area.
Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measure	9S
6.1. Personal precautions, protective equipment	nent and emergency procedures
General measures	: Ensure adequate ventilation. Avoid contact with eyes. Avoid inhalation of vapours.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate spillage area. Avoid contact with eyes. Avoid inhalation of vapours.
6.1.2. For emergency responders	
Protective equipment	: Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate area. Avoid contact with eyes. Avoid inhalation of vapours.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment a	and cleaning up
Methods for cleaning up	: Pick up solid material. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Use only non-sparking tools. Wash the spillage site with large amounts of water. This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure there is adequate ventilation. Avoid inhalation of vapours. Avoid contact with eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Store in a well-ventilated place. Keep container closed when not in use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Incompatible materials	: Strong oxidizing agents.	
Storage area	: Store in a well-ventilated place. Keep away from ignition sources.	
7.3. Specific end use(s)		
All a bis a start all a sub a start and the start for a bis discussion of the start has		

Washing and cleaning products (including solvent based products).

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
PROPAN-2-OL (67-63-0)			
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
Local name	Propan-2-ol		
WEL TWA (mg/m³)	999 mg/m³		
WEL TWA (ppm)	400 ppm		
WEL STEL (mg/m³)	1250 mg/m ³		
WEL STEL (ppm)	500 ppm		
Regulatory reference	EH40. HSE		
8.2. Exposure controls			
Appropriate engineering controls:			
Ensure adequate ventilation.			
Personal protective equipment:			
Gloves.			
Materials for protective clothing:			
Wear suitable working clothes			
Hand protection:			
Protective gloves. Standard EN 374 - Protective gloves against chemicals.			
Eye protection:			
Not required for normal conditions of use. Eye protection should only be necessary where liquid could be splashed or sprayed			
Skin and body protection:			
Wear suitable protective clothing			
Respiratory protection:			
Not necessary with sufficient ventilation			

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Colour	: Various.	
Odour	: characteristic.	
Odour threshold	: No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 14 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Flammable solid.	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: Insoluble.	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: Product is not explosive.	
Oxidising properties	: Non oxidizing.	
Explosive limits	: No data available	
9.2. Other information		

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
The product is non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability
Flammable solid. Stable under normal conditions.
10.3. Possibility of hazardous reactions
No dangerous reactions known under normal conditions of use.
10.4. Conditions to avoid
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5. Incompatible materials
Strong acids. Strong oxidizing agents.
10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified	SECTION 11: Toxicological information		
Acute toxicity (dermal) : Not classified	11.1. Information on toxicological effects		
	Acute toxicity (oral)	: Not classified	
Acute toxicity (inhalation) : Not classified	Acute toxicity (dermal)	: Not classified	
	Acute toxicity (inhalation)	: Not classified	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

PROPAN-2-OL (67-63-0)	
LD50 oral rat	5045 mg/kg
LD50 oral	3600 mg/kg
LD50 dermal	12800
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46600
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Ecology - water	: No data available on ecotoxicity.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified
PROPAN-2-OL (67-63-0)	
LC50 fish 1	9640
EC50 other aquatic organisms 1	13299 waterflea
EC50 other aquatic organisms 2	> 1000
12.2. Persistence and degradability	
70% / 30% ISOPROPANOL (I.P.A.) WIPES	
Persistence and degradability	Not biodegradable.
12.3. Bioaccumulative potential	
70% / 30% ISOPROPANOL (I.P.A.) WIPES	
Bioaccumulative potential	No bioaccumulation.
PROPAN-2-OL (67-63-0)	
Log Pow	0.05
12.4. Mobility in soil	

70% / 30% ISOPROPANOL (I.P.A.) WIPES	
Ecology - soil	No data available.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Other adverse effects	
Other adverse effects	: No known effects from this product.
Additional information	: Avoid release to the environment.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information In accordance with ADR / RID / IMDG / IATA / ADN 14.1. UN number UN-No. (ADR) : UN 3175 UN-No. (IMDG) : UN 3175 UN-No. (IATA) : UN 3175 UN-No. (ADN) : UN 3175 UN-No. (RID) : UN 3175 14.2. UN proper shipping name Proper Shipping Name (ADR) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. Proper Shipping Name (IMDG) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. Proper Shipping Name (IATA) : Solids containing flammable liquid, n.o.s. Proper Shipping Name (ADN) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. Proper Shipping Name (RID) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. Transport document description (ADR) : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II, (E) Transport document description (IMDG) : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II Transport document description (IATA) : UN 3175 Solids containing flammable liquid, n.o.s. (PROPAN-2-OL), 4.1, II Transport document description (ADN) : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II Transport document description (RID) : UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (PROPAN-2-OL), 4.1, II 14.3. Transport hazard class(es) ADR Transport hazard class(es) (ADR) : 4.1

IMDG	
Transport hazard class(es) (IMDG)	: 4.1
Danger labels (IMDG)	: 4.1

ΙΑΤΑ

Danger labels (ADR)

Transport hazard class(es) (IATA)	
Hazard labels (IATA)	

ADN
Transport hazard class(es) (ADN)
Danger labels (ADN)

: 4.1



: 4.1 : 4.1

: 4.1 : 4.1



Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID	
Transport hazard class(es) (RID)	: 4.1
Danger labels (RID)	: 4.1
14.4. Packing group	
Packing group (ADR)	: II
Packing group (IMDG)	: II
Packing group (IATA)	: II
Packing group (ADN)	: II
Packing group (RID)	: II
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	
Classification code (ADR)	: F1
Special provisions (ADR)	: 216, 274, 601
Limited quantities (ADR)	: 1kg
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P002, IBC06, R001
Special packing provisions (ADR)	: PP9
Mixed packing provisions (ADR)	: MP11
Portable tank and bulk container instructions (ADR)	: T3, BK1, BK2
Portable tank and bulk container special provisions (ADR)	: TP33
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V11
Special provisions for carriage - Bulk (ADR)	: VC1, VC2, AP2
Hazard identification number (Kemler No.)	: 40
Orange plates	40 3175
Tunnel restriction code (ADR)	: E
EAC code	: 1Z
Transport by sea	
Special provisions (IMDG)	: 216, 274
Packing instructions (IMDG)	: P002
Special packing provisions (IMDG)	: PP9
IBC packing instructions (IMDG)	: IBC06
IBC special provisions (IMDG)	: B21
Tank instructions (IMDG)	. D2 1 : T3, BK2
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-I
Stowage category (IMDG)	: B

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	: Mixtures of non-dangerous solids (such as soil, sand, production materials etc.) and flammable liquids.
ir transport	
CA Excepted quantities (IATA)	: E2
CA Limited quantities (IATA)	: Y441
CA limited quantity max net quantity (IATA)	: 5kg
CA packing instructions (IATA)	: 445
CA max net quantity (IATA)	: 15kg
AO packing instructions (IATA)	: 448
AO max net quantity (IATA)	: 50kg
pecial provisions (IATA)	: A46
RG code (IATA)	: 3L
nland waterway transport	
lassification code (ADN)	: F1
pecial provisions (ADN)	: 216, 274, 601, 800
imited quantities (ADN)	: 1 kg
xcepted quantities (ADN)	: E2
arriage permitted (ADN)	: B
quipment required (ADN)	: PP, EX, A
entilation (ADN)	: VE01, VE03
rovisions for inspection of holds during carriage ADN)	: IN01, IN02
lumber of blue cones/lights (ADN)	:1
dditional requirements/Remarks (ADN)	: VE03, IN01 and IN02 apply only when this substance is carried in bulk or without packaging
ail transport	
classification code (RID)	: F1
pecial provisions (RID)	: 216, 274, 601
xcepted quantities (RID)	: E2
acking instructions (RID)	: P002, IBC06, R001
pecial packing provisions (RID)	: PP9
lixed packing provisions (RID)	: MP11
ortable tank and bulk container instructions (RID)	: T3, BK1, BK2
ortable tank and bulk container special provisions RID)	: TP33
ransport category (RID)	: 2
pecial provisions for carriage – Packages (RID)	: W1
pecial provisions for carriage – Bulk (RID)	: VC1, VC2, AP2
colis express (express parcels) (RID)	: CE11
lazard identification number (RID)	: 40

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	1307/2000 (KEACH) with its amendment Regulation (EO) 2013/030
SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full text of H- and EUH-sta	itements:
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product